DIAGNOSIS

Alzheimer's is diagnosed through a complete medical assessment. If you or a loved one have concerns about memory loss or other symptoms of Alzheimer's or dementia, it is important to be evaluated by a physician.

There is no single test that can show whether a person has Alzheimer's. While physicians can almost always determine if a person has dementia, it may be difficult to determine the exact cause. Diagnosing Alzheimer's requires careful medical evaluation, including:

- ✓ A thorough medical history
- ✓ Mental status testing
- ✓ A physical and neurological exam
- ✓ Tests (such as blood tests and brain imaging) to rule out other causes of dementia-like symptoms.

TREATMENTS

Currently, there is no cure for Alzheimer's. But drug and non-drug treatments may help with both cognitive and behavioral symptoms.

Alzheimer's Association Walk to End Alzheimer's®

The Alzheimer's Association Walk to End Alzheimer's is the world's largest event to raise awareness and funds for Alzheimer's care, support and research. Held annually in more than 600 communities nationwide, this inspiring event calls on participants of all ages and abilities to reclaim the future for millions.


Walks take place throughout the year, primarily in the fall, in communities nationwide.



TEXAS RATED CHOICE FOR HOMECARE

- ✓ Up to 24 Hour Care
- √ Meal Preparation
- √ Light Housekeeping
- √ Personal Hygiene Assistance
 - √ Errands/Shopping
- ✓ Rewarding Companionship
- ✓ Day/Night, Live-In or Live-Out Care
 - ✓ Respite for Family Care Giving





(945) 218-5693

www.foundationseniorservice.com



ALZHEIMER'S: THE FACTS

WARNING SIGNS, SYMPTOMS & MORE



ALZHEIMER'S DISEASE







Ithy Brain Mild Alzheimer's Disea

Severe Alzheimer's Disease

ALZHEIMER'S DISEASE

- Alzheimer's is a type of dementia that causes problems with memory, thinking and behavior. Symptoms usually develop slowly and get worse over time, becoming severe enough to interfere with daily tasks.
- Alzheimer's is the most common form of dementia, a general term for memory loss and other intellectual abilities serious enough to interfere with daily life. Alzheimer's disease accounts for 60 to 80 percent of dementia cases.
- Alzheimer's is not a normal part of aging, although the greatest known risk factor is increasing age, and the majority of people with Alzheimer's are 65 and older. But Alzheimer's is not just a disease of old age. Up to 5 percent of people with the disease have early onset Alzheimer's (also known as younger-onset), which often appears when someone is in their 40s or 50s.
- Alzheimer's worsens over time. Alzheimer's is a progressive disease, where dementia symptoms gradually worsen over a number of years. In its early stages, memory loss is mild, but with late-stage Alzheimer's, individuals lose the ability to carry on a conversation and respond to their environment. Alzheimer's is the sixth leading cause of death in the United States. Those with

Alzheimer's live an average of eight years after their symptoms become noticeable to others, but survival can range from four to 20 years, depending on age and other health conditions.'

SYMPTOMS

Have you noticed any of these warning signs?

Memory loss that disrupts daily life. One of the most common signs of Alzheimer's, especially in the early stages, is forgetting recently learned information. Others include forgetting important dates or events; asking for the same information over and over; relying on memory aides (e.g., reminder notes or electronic devices) or family members for things they used to handle on their own. **What's typical?** Sometimes forgetting names or appointments, but remembering them later.

Challenges in planning or solving problems. Some people may experience changes in their ability to develop and follow a plan or work with numbers. They may have trouble following a familiar recipe or keeping track of monthly bills. They may have difficulty concentrating and take much longer to do things than they did before. **What's typical?** Making occasional errors when balancing a checkbook.

Difficulty completing familiar tasks at home, at work or at leisure. People with Alzheimer's often find it hard to complete daily tasks. Sometimes, people may have trouble driving to a familiar location, managing a budget at work or remembering the rules of a favorite game. What's typical? Occasionally needing help to use the settings on a microwave or to record a television show.

Confusion with time or place. People with Alzheimer's can lose track of dates, seasons and the passage of time. They may have trouble understanding something if it is not happening immediately. Sometimes they may forget where they are or how they got there. **What's typical?** Getting confused about the day of the week but figuring it out later.

Trouble understanding visual images and spatial relationships. For some people, having vision problems is a sign of Alzheimer's. They may have difficulty reading, judging distance and determining color or contrast. In terms of perception, they may pass a mirror and think someone else is in the room. They may not recognize their own reflection. **What's typical?** Vision changes related to cataracts.

New problems with words in speaking or writing. People with Alzheimer's may have trouble following or joining a conversation. They may stop in the middle of a conversation and have no idea how to continue or they may repeat themselves. They may struggle with vocabulary, have problems finding the right word or call things by the wrong name (e.g., calling a watch a "hand clock"). **What's typical?** Sometimes having trouble finding the right word.

Misplacing things and losing the ability to retrace steps. A person with Alzheimer's disease may put things in unusual places. They may lose things and be unable to go back over their steps to find them again. Sometimes, they may accuse others of stealing. This may occur more frequently over time. **What's typical?** Misplacing things from time to time, such as a pair of glasses or the remote control.

Decreased or poor judgment. People with Alzheimer's may experience changes in judgment or decision making. For example, they may use poor judgment when dealing with money, giving large amounts to telemarketers. They may pay less attention to grooming or keeping themselves clean. **What's typical?** Making a bad decision once in a while.

Withdrawal from work or social activities. A person with Alzheimer's may start to remove themselves from hobbies, social activities, work projects or sports. They may have trouble keeping up with a favorite sports team or remembering how to complete a favorite hobby. They may also avoid being social because of the changes they have experienced. **What's typical?** Sometimes feeling weary of work, family and social obligations.

Changes in mood and personality. The mood and personalities of people with Alzheimer's can change. They can become confused, suspicious, depressed, fearful or anxious. They may be easily upset at home, at work, with friends or in places where they are out of their comfort zone. **What's typical?** Developing very specific ways of doing things and becoming irritable when a routine is disrupted.